

# Ross County Health District Food Service Inspection Summary



**Name of Establishment:** Ameristop  
**Address:** 801 Western Avenue  
**Date of Inspection:** March 1, 2010  
**Reason for Inspection:** Standard Inspection  
**Sanitarian Performing Inspection:** Andrew L. Gedeon, R.S.

**Violation(s) / Comment(s)** (Chapter 3717-1 OAC violations checked)

1) Observed debris build-up on the shelves in the Cocoa Cola reach-in cooler. Observed debris build-up on the white plastic shelves where the bottled water and Tropicana juice are stored. Observed debris build-up on the wood shelf below the Mike Sells bagged snacks. Equipment must be cleaned at a frequency to prevent debris build-up and must remain clean to sight and touch.

**3717-1-04.5 Equipment, Utensils, and Linens: Cleaning of Equipment and Utensils**

- (A) Equipment, food-contact surfaces, nonfood-contact surfaces, and utensils.
- (3) Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

2) Observed mold build-up on the inside of the ice machine. Food contact surfaces must remain clean at all times to prevent possible contamination of the food. The ice machine must be cleaned immediately.

**3717-1-04.5 Equipment, Utensils, and Linens: Cleaning of Equipment and Utensils**

- (B) Equipment food-contact surfaces and utensils - cleaning frequency.
  - (1) Equipment food-contact surfaces and utensils shall be cleaned:
    - (e) At any time during the operation when contamination may have occurred.

**SUMMARY**

Cold holding appeared to be in the proper range of below 41 degrees F. The hot water appeared to be adequate in the three compartment sink.

**\*\*DISCLAIMER:** This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.