

# Ross County Health District Food Service Inspection Summary



**Name of Establishment:** Burger King  
**Address:** 900 North Bridge Street, Chillicothe  
**Date of Inspection:** May 18, 2010  
**Reason for Inspection:** Follow-up Inspection  
**Sanitarian Performing Inspection:** Kelly Dennis, R.S.

**Violation(s) / Comment(s)** (Chapter 3717-1 OAC violations checked)

The following violations have been corrected since last inspection:

1. Air gap provided on drain lines for ice machine.
2. Hot held eggs remaining above 135°F.
3. Beverage line appeared to be kept clean.

**04.5 Equipment, Utensils, and Linens: Cleaning of Equipment and Utensils**

(C) Cooking and baking equipment - cleaning frequency.

Two fryer baskets stored on bottom of stack dirty with debris. Grey hot food drawer shields observed dirty with accumulation of food debris. Clean such items daily. If the two fryer baskets stored on bottom of basket stack are not used, then remove from operation to prevent employees from using dirty baskets. The food-contact surfaces of cooking and baking equipment shall be cleaned at least every twenty-four hours.

-----

**04.5 Equipment, Utensils, and Linens: Cleaning of Equipment and Utensils**

(A) Equipment, food-contact surfaces, nonfood-contact surfaces, and utensils.

Hard to reach areas of equipment dirty with an accumulation of grease or residue. Clean non-food contact surfaces routinely to prevent such accumulation. Areas include shelves below bun storage racks, shelves below prep tables, and hard to reach areas of kitchen equipment.

-----

**05.4 Water, Plumbing, and Waste: Refuse, Recyclables, and Returnables**

(P) Maintaining refuse areas and enclosures.

Outdoor refuse area has accumulation of grease on wall, and on concrete. Clean routinely to prevent such accumulation of grease that may attract pets. Keep lids closed on grease receptacle and dumpsters to prevent accumulation of water. Refuse enclosure shall be maintained and kept clean.

-----

**\*\*DISCLAIMER:** This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.

# Ross County Health District Food Service Inspection Summary



**Name of Establishment: Burger King**  
**Address: 900 North Bridge Street, Chillicothe**  
**Date of Inspection: May 18, 2010**  
**Reason for Inspection: Follow-up Inspection**  
**Sanitarian Performing Inspection: Kelly Dennis, R.S.**

**Violation(s) / Comment(s)** (Chapter 3717-1 OAC violations checked)

## **06.4 Physical Facilities: Maintenance and Operation**

### **(A) Repairing.**

**Observed a few missing cloving tiles and corner plates for wall panels. Repair or replace to prevent water damage to internal structure of walls. The physical facilities shall be maintained in good repair.**

-----

Page 2 of 2

**\*\*DISCLAIMER:** *This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.*