

# Ross County Health District Food Service Inspection Summary



**Name of Establishment:** Chillicothe Country Club  
**Address:** Arch & Woodbridge Street  
**Date of Inspection:** July 7, 2010  
**Reason for Inspection:** Standard & Critical Control Point Inspections  
**Sanitarian Performing Inspection:** Andrew L. Gedeon, R.S.

**Violation(s) / Comment(s)** (Chapter 3717-1 OAC violations checked)

1) Observed grease build-up on the top and sides of the deep fryer. Observed grease build-up on the side of the grill beside the deep fryer. Observed debris build-up on the filters above the grill and deep fryer. Equipment must be cleaned at a frequency to prevent debris build-up and remain clean to sight and touch.

**3717-1-04.5 Equipment, Utensils, and Linens: Cleaning of Equipment and Utensils**

(A) Equipment, food-contact surfaces, nonfood-contact surfaces, and utensils.

(3) Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

-----  
2) Observed the flooring in the rear storage/kitchen area dirty to sight and touch. The flooring must be thoroughly cleaned or replaced so all parts of the floor are clean to sight and touch.

**3717-1-06 Physical Facilities: Materials for Construction and Repair**

(A) Indoor areas - surface characteristics

(1) Except as specified in paragraph (A)(2) of this rule, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use shall be:

(a) Smooth, durable, and easily cleanable for areas where food service operation or retail food establishment activities are conducted;

(b) Closely woven and easily cleanable carpet for carpeted areas.

-----  
**SUMMARY**

Cold holding temperatures appeared to be in the proper range of below 41 degrees F. No hot holding at the time of inspection. Food appeared to be thawed properly at the time of inspection. The hot water appeared to be adequate in all sinks. The dish machine appeared to be operating properly at the time of inspection.

**No critical violations observed at the time of inspection.**

**\*\*DISCLAIMER:** This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.