

# Ross County Health District Food Service Inspection Summary



**Name of Establishment:** Coffee Central  
**Address:** 627 Central Center  
**Date of Inspection:** June 14, 2011  
**Reason for Inspection:** Standard Inspection  
**Sanitarian Performing Inspection:** Andrew L. Gedeon, R.S.

**Violation(s) / Comment(s)** (Chapter 3717-1 OAC violations checked)

1) Observed a residential style microwave oven used in the facility. This unit must be replaced with an approved commercial grade unit by March 1, 2011 or removed from the facility.

3717-1-04.1 Equipment, Utensils, and Linens: Design and Construction

(KK) Food equipment - certification and classification.

(1) Except as provided in paragraph (KK)(2) of this rule, food equipment that is acceptable for use in a food service operation or retail food establishment shall be approved by a recognized food equipment testing agency.

-----  
**SUMMARY**

Cold holding temperatures appeared to be in the proper range of below 41 degrees F. Hot holding temperatures appeared to be in the proper range of above 135 degrees F. All required food appeared to be date marked properly. The hot water appeared to be adequate in all sinks. The sanitizer appeared to be at the proper concentration in the three compartment sink.

**\*\*DISCLAIMER:** This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.