

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility MCDONALDS	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 100	Date 11/21/2011
Address: 40 NORTH BRIDGE STREET CHILLICOTHE, OH 45601		Category/Descriptive COMMERCIAL CLASS 3 <25,000 SQ. FT.	
License holder RONALD FEWSTER	Inspection Time (min) 60	Travel Time (min) 5	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input checked="" type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) //	Sample date/result(if required) //

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administration

901:3-4 OAC
3701-21 OAC

Violations/Comment(s)

Cold food sampled in proper temperature of 41°F or below. Hot food appeared to be cooked to proper temperature and held above 135°F. Sanitizer for dish machine and 3 compartment sink in proper concentration. Hot water adequate. Food prep areas and kitchen kept clean. Food dated. Food thermometers, test strips, gloves, and hair restraints in use. No violations noted during the inspection.

Inspected by KELLY DENNIS	R.S./SIT # 3287	Licenser Ross County Health District
Received by	Title	Phone 1-740-772-1294

As per HEA 5302 4/10 CHC Software, Inc.
As per AGR 1268 4/10 CHC Software, Inc.