

Ross County Health District

Food Service Inspection Summary



Name of Establishment: Railway Express
Address: 13040 Pleasant Valley Road, Chillicothe
Date of Inspection: June 22, 2010
Reason for Inspection: Standard Inspection
Sanitarian Performing Inspection: Kelly Dennis, R.S.

Violation(s) / Comment(s) (Chapter 3717-1 OAC violations checked)

Walk-in coolers, deli coolers, and freezers observed holding cold food in proper temperature of 41°F or below. Hot food held above 135°F and in proper temperature. Sanitizer and test strips available. Hot water adequate. Food prep areas and equipment kept clean. Food thermometer available. Single use gloves in-use.

(Critical) 03.4 Food: Limitation of Growth of Organisms of Public Health Concern

(F) Time/temperature controlled for safety food - hot and cold holding.

Food sampled in the sandwich prep table observed between 49°F and 54°F and in temperature danger zone. Hold all cold tcs food below 41°F to limit growth of microorganisms that may cause illness. Operator removed food from unit and stored in a cooler that holds below 41°F. Operator noted unit was holding below 40°F earlier today. Operator contacted repair company to have unit maintained.

06.4 Physical Facilities: Maintenance and Operation

(B) Cleaning - frequency and restrictions.

Ceiling above pizza oven and floor behind fryers beginning to accumulate grease and debris. Clean routinely to prevent such accumulation. The physical facilities shall be cleaned as often as necessary to keep them clean. Operator noted a cleaning of ceiling and floors is scheduled in next 2 to 3 weeks.

07.1 Poisonous or Toxic Materials: Operational Supplies and Applications

(C) Conditions of use.

Sanitizer for spray bottles used on food contact surfaces in a strong concentration greater than 500ppm quaternary ammonia. Use in a safe concentration between 200ppm and 400ppm as recommended by manufacturer to prevent chemical contamination of food contact surfaces. Poisonous or toxic materials shall be used according to manufacturer's use directions.

****DISCLAIMER:** This summary reflects only the conditions found on the date of the inspection and does not necessarily reflect conditions at all times. Inspection reports can be viewed in their entirety at the Ross County Health District's Environmental Health Office, 475 Western Ave., Suite 3A, Chillicothe, Ohio.