

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility RED LOBSTER RESTAURANT #705	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 122	Date 01/12/2012
Address: 1079 NORTH BRIDGE STREET CHILLICOTHE, OH 45601		Category/Descriptive COMMERCIAL CLASS 4 <25,000 SQ. FT.	
License holder N&D RESTAURANT INC	Inspection Time (min) 15	Travel Time (min) 10	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) / /	Sample date/result(if required) / /

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premise labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administrative

901:3-4 OAC
3701-21 OAC

Violations/Comment(s)

Follow-up inspection conducted. Dishmachine reached proper sanitation temperature of 160F. Violation corrected. A new dishmachine will be installed in 2-3 weeks. Operation has been cleaning hard to reach areas of kitchen.

Inspected by KELLY DENNIS	R.S./SIT # 3287	Licenser Ross County Health District
Received by	Title	Phone 1-740-773-1431